




Crane Specification



Typical image

Customer : Mayflower Energy

Project : 300 t Crane Self-Elevating Crane Vessel

Our Project : 11652

Crane type : EHC 300 / 5500 O.S.

Issue : Rev. C Updated for contract issue

Preparation date : 12 Sept 2001

Originator : Gerard Jacobs

Checked by : Jaco P. Fleumer

KENZ Cranes bv Page 1 of 7

Customer	: Mayflower Energy
Project	: 300 t Crane Self-Elevating Crane Vessel
Crane type	: EHC 300 / 5500 O.S.
Issue	: Rev. C
Date	: 12 Sept 2001



Comment: Rev. **Design considerations** Zone location World wide except Arctic waters -10 ° C to +35 ° C. Ambient temperatures Design temperature -10 ° C. Relative humidity max. 100 % Wind speed stored 63 m/s only in Boom rest. Operational wind speed 16 m/s Floating Elevated Max. static Heel 1 ° 3 ° 1 0 2° Max. static Trim Dist. sealevel to slewbearing 25.00 m to be confirmed Crane location Longitudinal 94.00 m to be confirmed В Tranverse to be confirmed В 0.00 m Max. snow and ice cover negligible General deck operations in harbour and sheltered waters Type of Operation in elevated position or floating Offshore in elevated position only Α Loading or unloading supply boats by means of the whip hoist Personnel transfer by means of the whip hoist, max 1500 kg at 1-fall **Conditions** Elevated Floating Whip hoist in harbour sea lifts in harbour in harbour supply boat **Duty factor** 1.00 1.00 1.00 1.00 1.00 Dynamic factor on dead load 1.00 1.00 1.00 1.00 1.00 Dynamic factor Fh 1.15 1.60 1.15 1.25 2.00 1 ° 1° 1 ° 2° Offlead 5° 2 ° 2 ° 2 ° 2 ° 3 ° Sidelead Off and side lead acc DnV Lifting curves for floating offshore conditions are available upon request and when vessel motions are known Α Pedestal mounted Ropeluffing Electric Hydraulic Offshore Crane Type of Crane Five sections lattice boom with Whip hoist extension Type of Boom Α General Plan drawing 11652-01.01 rev. F Load curves 11652-08.51 rev. C Area classification Zone All safe area Class Temperature Class Class. acc. BS 2573 Crane Main Hoist Whip Hoist Luffing Slewing Class of utilization U3 T2 T4 T4 T4 State of Loading Q2 L3 L2 L2 L2 **Group Classification** АЗ М3 M4 M4 M4 Design Crane structural design Life Main Design Det norske Veritas, Rules for certification of Lifting Appliances Certification Det norske Veritas including CRANE notation

KENZ Cranes by Page 2 of 7

Addittional requirements

Customer	: Mayflower Energy
Project	: 300 t Crane Self-Elevating Crane Vessel
Crane type	: EHC 300 / 5500 O.S.
Issue	: Rev. C
Date	: 12 Sept 2001



Date		: 12 Sept 200	1		
					Comment Rev.
Power sup	<u>ply</u>				
Electric	Main Power	r 690 V / 60 Hz	• -	Max. consumed power approx. 1210 kW	В
M	ax. starting curren	t 1400 A appro	x. (1 motor rur	nning, 1 starting)	В
	Emergency power	r 450 V / 60 Hz	7	Max. installed power approx. 35 kW	C
	UPS	330 V / 60 Hz	; -	if required for AWL's	_
					С
<u>Performano</u>	ce Data				
Lifting Capac	ity (SWL)	Main Ho	ist 12-falls	Whip Hoist 2-falls Tuggers (2x))
Harbour lifts		300 t @ 25.5	m, 43 t @ 83 r	n 30 t @ 87 m 0-10 t	В
Constant tensi	ioning (1-fall)	-		5 t @ 100 m/min 0-30 m/min	C
See the Load-	Radius Graph's				_
	•				_
Working Radi	ius	Main Hoist	Whip Hoist		
Max. Radius		83 m	87 m		_
Min. Radius		10 m	11.5 m		_
					_
Boom Angles	i				
Maximum wor		88 °			_
Minimum work		22 °			_
Storage angle		0 °			_
					_
Number of fal	lls	Main Hoist	Whip hoist	Boom hoist Tuggers	
		12, 10, 8 or 6	•	20 1	C
		, .,,		·	_
Hook Elevation	on				
Main Hoist 12-	-falls	100 m			_ В
Main Hoist 10-	falls	125 m			_
Whip Hoist 2-f	alls	125 m			
Tuggers 1-fall		100 m			
					_
Speeds	± 5%				
Hook Speeds		100% SWL	50% SWL	Empty hook	_
Main hoist	12-falls	5 m/min	10 m/min	12.5 m/min	В
	10-falls	6 m/min	12 m/min	15 m/min	_
	8-falls	7.5 m/min	15 m/min	18 m/min	_
	6-falls	10 m/min	20 m/min	25 m/min	_
Whip hoist	2-falls	30 m/min	50 m/min	50 m/min	
	1-fall	60 m/min	100 m/min	100 m/min	_
Tuggers	1-fall	10 t stall	30 m/min	30 m/min	_
	te variable and loa				_
Luffing time	ranasio ana ioa	<u> </u>	22340, 2010 10		_
With load from	n max radius	300) s		_
With no load	ax radido	180			_
Slewing		100			_
Slewing Range	e	nx360 °			_
Slewing speed			RPM	during main hoist operations	_
Clowing speed	4		RPM	during whip hoist operations	_
		0.0		daming with tholet operations	_
Simultaneous	soperation				
Two functions		Any two funct	ions at full pow	/er	_
Three funtions	<u> </u>			together with slewing and luffing at	_
	•	reduced spee	•	togother man clowing and laming at	_
				operated simultaneously, sum of the hois	_ ts
			•	SWL for the Main hoist at the actual radius	_
				function professores for Main or Whip bein	_

KENZ Cranes bv Page 3 of 7

Automatic power limiter with function preference for Main or Whip hoist

Customer	: Mayflower Energy
Project	: 300 t Crane Self-Elevating Crane Vessel
Crane type	: EHC 300 / 5500 O.S.
Issue	: Rev. C
Date	: 12 Sept 2001



Comment Rev.

В

В

Wire Ropes, drums and	sheaves				Comment
		m hoist	Whip hoist	Tuggers (2-off)	
Diameter	36 mm 3	86 mm	30 mm	24 mm	
Tensile strength [N/mm2]	1960	1960	1960	1960	
Min. Breaking Load [t]	116	118	82	30	
Type of Wire	Non-rotating Lang	g-lay	Non-rotating	WS+IWRC	
Preservation			zed and grea	sed	
No of dead turns on drum	4x	4x	4x	3x	
Drum size	800x1788 680	0x2x750	630x1788	400x500	
Nr. of layers	7	4	3	4	
Type of grooving	LeBus I	_eBus	LeBus	Helical	
Rope sheave diam	800	800	630	450	
Bearing type	sealed	anti-friction			
Hook blocks 12-falls	6-sheaves with ram				E
2-falls	1-sheave block with			for whip hoist	E
1-fall	ball weight with sing			•	
ı ıaıı	ban worght with only	gio riocit t	200 1011 1010	1 for write floids	<u> </u>
Weights & Dimensions					
Crane Dimensions (approx.)					
Height in stowed position	23.00 m		above slewin	ng ring	
Overall Length	99.00 m				
Overall Width	10.50 m				
Tail Radius	8.50 m				
Crane weights (-5 / +10%)					
Super Structure incl cabin	Operational weights	S			
M.C. and walkways	240.00 t				
Boom	110.00 t				
300 t 12-fall block	6.00 t				E
30 t 2-fall block	0.60 t				E
15 t single line hook	0.50 t				
Total Crane Weight	357.10 t				
Pedestal Dimensions					
Pedestal Adaptor height	5500 mm				
Wall thickness	40 mm				
Diameter lower End	5538 mm			to be confirmed	(
Diameter upper End	5538 mm			to be confirmed	
Thickness of Flange	ca. 130 mm				
Pedestal weights (-5 / +10%)					
• • • • • • • • • • • • • • • • • • • •	35.00 t				
Pedestal Adaptor	5.00 t				
Circular Walkway					
Equipment	1.00 t				
Total Pedestal Weight	41.00 t				<u>—</u>
Podostal Dosign Loads	inal facto		(Drolimina =	data at alambaaring last	
Pedestal Design Loads:	incl. factor		(Preliminary	data at slewbearing level)	<u>-</u>
Load case	300 t @ 25.5				
Max. Overturning Moment	110000 kNm	1			
Axial Force	7500 kN				(

KENZ Cranes bv Page 4 of 7

550 kN

5500 kNm

Radial Force

Slewing Moment

Customer	: Mayflower Energy
Project	: 300 t Crane Self-Elevating Crane Vessel
Crane type	: EHC 300 / 5500 O.S.
Issue	: Rev. C
Date	· 12 Sept 2001



Date		: 12 Sept 2001	
Classia			Comment Rev
<u>Slewbearing</u>		T	
Туре		Three Row Roller Bearing	_
Make		Rothe Erde or RKS SKF	_
Nominal Diameter		5550 mm	_ C
Pitch of outer Bolts		5300 mm	_
Pitch of inner Bolts		5770 mm	_ C
No. and size of Bolts		2 x 160 x M48 (HV)	_
Material of Rings		42CrMo4 V	_
Slewing gear		6, Pinions excentric for adjustable back-lash	_
Safety feature		Integral retainer ring	=
Inspection		Rocking test	_
		Grease sampling points	_
R	Removal :	Jacking points will be provided on pedestal and main frame	=
Main Driver			
Туре		2-off Squirrel cage induction motor TEFC	- -
Nominal Power		2x 400 kW, S1 duty @ 1800 RPM	_
Intermittent Power		2x 600 kW, S6-10% duty @ 1800 RPM	_
Cooling		Air	_
Starting		Star/Delta (on crane)	_ C
Controls		Remote, from crane cab	_
Power take off		One shaft	_
Emergency pump motor		1-off Squirrel cage induction motor TEFC, 35 kW @ 1800 RPM	_ C
Dump unit			
Pump unit		0	
Splitterbox(es)		Spur gearbox with 3 outputs	_
Input shaft		Flexible coupling	_
Pumps		High pressure variable piston pumps of the swash plate type	_
Execution		Electric motor(s) with splitterbox, pumps and tank	_
		built on common skid in machinery house	_
Hydr.oil tank	capacity		_
		carbon steel, inside shotblasted, cleaned and coated	_
Hydraulic oil		ISO VG 46	<u> </u>
		Environmentally acceptable oil e.g. Mobil Biofluid HLP 46	_ A
Heating		Oil immersed heaters incl. thermostat and max temp switch	<u> </u>
Cooling		Oil/air cooling suitable for the specified environment	_
Hydraulic piping			
Hard piping	< 30mm	Stainless steel 316L	
11 5		Carbon steel	=
Couplings		For piping and hoses, carbon steel, yellow passivated	=
<u>1</u>		For rigid piping carbon steel 'WALFORM' tube fittings with captive sea	=
		or carbon steel welding nipples with O-ring	`
		All non-coated couplings wrapped with Denso tape	_
		Large size coupling with SAE flange	_
Hoses		Aeroquip or equivalent	_
		· · ·	=
Hydr. oil filtering Main return filter		Single full flow with contemination indicator, plus indicator in cabin	=
		Single full-flow with contamination indicator, plus indicator in cabin	_
Booster press fliter		Single full-flow with contamination indicator	_
Aux. press filter		Single full-flow with contamination indicator	_

KENZ Cranes bv Page 5 of 7



Controls and Instrumental	.tion	Comment Re
Controls and Instrumenta		
Location	In driver's cabin	
Туре	Electric / electronic	
Main and whip hoist		
Luffing and slewing		
	Push button on hoist lever	
	Foot operated (toe and heel)	A
Logics	PLC The state of t	
Safe load Indicator (SLI)	Electronic, with display screen showing all functions	
Operator's cabin		
Type	1800 XLS	
Mounting	Anti vibration pads of the fail safe type	
Windows	min. 6 mm bright safety glass fitted in rubber	
	front window in one piece, 8 mm thick	
Wipers	2-off electric driven parallel arm type wipers on front window	
	and single arm type on roof window incl. Washers on each wiper	-
Sun visor	1-off adjustible sun visor for front windows	
Insulation	Acoustic and thermal insulation on walls, rubber mat on floor	
Door	Marine type door with window and day and night lock and catch	
Air conditioning	Heating and cooling system for 18-25°C inside temp.	
3	incl. demister for the front windows	
Operator's chair	Upholstered chair with arm rests incl. all direct controls	
Noice levels	70 dB(A) inside cabin with door and windows closed (exl. airco)	
Туре	Self standing housing out of steel sheets and stiffenners with allowance for painting and with a sump underneath a grated floor	
Mounting	Bolted on top of the main frame	
Access	One door at each side of the main frame	
Ventilation	One automatic opening/closing louvre at each side	
Insulation	Noise insulation on the walls	
Maintenance aids	Full size hatch for the power unit(s) in the roof and	
Wallterlande alas	a service crane of 2.5 t SWL	
Power supply, slipring bo	odv	
Electrics Main power	- 690 V / 60 Hz, 3 ph 4-rings	C
	· 450 V / 60 Hz, 3 ph 4-rings	C
AWL power	· 230 Vac UPS, 1 ph +N 2-rings	
Earthing	1-ring	
Instrumentation	or spare 8-rings	proposal
1 1 0	Dy local and lockable switches (mater in main switchboard)	
Isolation	By local pad-lockable switches (motor in main switchboard)	
Lighting	By local pad-lockable switches (motor in main switchboard)	
	Switchable fixture 2-off 2x18 W	C
<u>Lighting</u>		c
<u>Lighting</u> Cabin	Switchable fixture 2-off 2x18 W	c c
Lighting Cabin Machinery compartment	Switchable fixture 2-off 2x18 W 6-off 2x18 W fixture incl. emerg. back-up for 60 min Main access at cabin level 2-off fixture 2x18 W	
Lighting Cabin Machinery compartment Walkways (2-sides) Roof of mach. house	Switchable fixture 2-off 2x18 W 6-off 2x18 W fixture incl. emerg. back-up for 60 min Main access at cabin level 2-off fixture 2x18 W 1-off 2x18 W fixture incl. emerg. back-up for 60 min	
Lighting Cabin Machinery compartment Walkways (2-sides)	Switchable fixture 2-off 2x18 W 6-off 2x18 W fixture incl. emerg. back-up for 60 min Main access at cabin level 2-off fixture 2x18 W	

Page 6 of 7 **KENZ Cranes bv**

Customer	: Mayflower Energy
Project	: 300 t Crane Self-Elevating Crane Vessel
Crane type	: EHC 300 / 5500 O.S.
Issue	: Rev. C
Date	: 12 Sept 2001



Rev.

Date	: 12 Sept 2001			
				Comment: Re
Safety Devices				
Mechanical	Fail safe spring loaded hydraulica			=
	Safety brake direct on drum for w	=		
	Mechanical radius indicator			=
	Progressive telescoping boom st			_
	Slew lock will be by means of the		ers)	_
Hydraulic	Full size pressure relief valves in			_
	Hydraulic lock valves directly to n			_
Electric	Emergency stop push buttons (w			_
	machinery compartment and bott) ladder	_
	Interlock to allow starting only wit			_
	Electric limit switches on all funct	ions with automatic ramp-do	own	_
	Warning horn to deck crew			_
Overload Protection	Electronic overload detection			_
	Automatic brake release under b			_ C
Emergency release	Manual operated load release pu			_
	accidental operation and break-a	•		_ C
	rope connection to the drum and	·		_
Emergency operation	Lowering of the hook(s) and boor	_		
	Emergency slewing powered by I	_		
	fed by the vessel's emergency po	_		
	max. slewing speed 0.05 RPM ag			_
Fire & Gas	One fire extinquisher in driver's c	free issued		
	Fire detector in driver's cab and r		ie	free issued
	system with common alarm to the	e vessel's system		=
_				
<u>Preservation</u>				
refer to Data sheet 0839				С
Shotblasting	Sa 2 1/2			_
Primer	Zinc rich epoxy	Amercoat 68	75 micr	_
Finish coat	Engineered siloxane	PSX 700	150 micr	·
Total DFT		225-	-250 micr.	_
Finish color	To be agreed upon			_
Paint supplier to be agreed upon				
Quality documents	(available on request)			
Project quality plan	Acc. KENZ Doc. 0910			
Quality control Inspection Sch.	Acc. KENZ Doc. 0911			_
Structural material requirements	Acc. KENZ standard Data sheet	0830		_
Welding requirements	Acc. KENZ standard Data sheet	QC 302		_
Non-destructivce testing req.'s	Acc. KENZ standard Data sheet	QC 301		_
Pre-commissioning and testing	Acc. KENZ doc.9504			_
Factory acceptance test	Acc. KENZ doc.9502			=
Site commissioning and test	Acc. KENZ doc.9505			=
				-
Loose deliveries				
Spares	Start-up and commissioning spar	es	-	=
				=

Page 7 of 7 **KENZ Cranes bv**